

Date of Boring: June 28, 2006
 Location: Bank and Commercial Center
 S.R. 60 / 85th Court
 Indian River County, Florida
 B-2, See Attached Location Plan

Depth in Ft.	Description of Soil	Blows/6 in.	SPT-N Value
0-0	Dark Gray Sand with Roots (0" - 6")		
-1	Gray Sand (6" - 16")	3	
-2	Light Gray Sand (16" - 38")	4	7
-3	Dark Brown Sand	5	9
-4	Gray Clayed Sand	10	19
-5	Grayish Brown Sand, Slightly Silty	8	16
-6	Grayish Brown Sand, Slightly Silty	11	20
-7	Grayish Brown Sand, Slightly Silty	13	24
-8	Grayish Brown Sand, Slightly Silty	10	18
-9	Grayish Brown Sand, Slightly Silty	10	18
-10	Grayish Brown Sand, Slightly Silty	10	18
-11	Grayish Brown Sand, Slightly Silty	11	20
-12	Grayish Brown Sand, Slightly Silty	11	20
-13	Grayish Brown Sand, Slightly Silty	12	21
-14	Grayish Brown Sand, Slightly Silty	10	18

Water Table: 20" Below Existing Grade


Date of Boring: June 28, 2006
 Location: Bank and Commercial Center
 S.R. 60 / 85th Court
 Indian River County, Florida
 B-2, See Attached Location Plan

Depth in Ft.	Description of Soil	Blows/6 in.	SPT-N Value
0-0	Gray Sand with Roots (0" - 10")		
-1	Light Gray Sand (10" - 28")	4	
-2	Black Sand with Hardpan (28" - 48")	5	7
-3	Gray Clayed Sand	7	12
-4	Gray Clayed Sand	9	15
-5	Gray Clayed Sand	7	12
-6	Gray Clayed Sand	8	13
-7	Grayish Brown Sand, Slightly Silty	13	21
-8	Grayish Brown Sand, Slightly Silty	15	26
-9	Grayish Brown Sand, Slightly Silty	13	21
-10	Grayish Brown Sand, Slightly Silty	13	21
-11	Grayish Brown Sand, Slightly Silty	10	18
-12	Grayish Brown Sand, Slightly Silty	11	20
-13	Grayish Brown Sand, Slightly Silty	14	24
-14	Grayish Brown Sand, Slightly Silty	17	28

Water Table: 26" Below Existing Grade

TREE LEGEND

- 4" OAK EXISTING TREE W/ DIAMETER TO REMAIN
- ✱ 4" OAK EXISTING TREE W/ DIAMETER TO BE REMOVED



DATE	REVISION	MARK
3/20/07 <td>REVISION PER IRC & CLIENT <td>1</td> </td>	REVISION PER IRC & CLIENT <td>1</td>	1
	DESIGNED JBB <td></td>	
	DRAWN AAC <td></td>	
	CHECKED JBB <td></td>	
	SCALE 1"=20'	
	DATE 1/29/07	

SCHULKE, BITTLE & STODDARD, L.L.C.
 CIVIL & STRUCTURAL ENGINEERING - LAND PLANNING - ENVIRONMENTAL PERMITTING
 1717 INDIAN RIVER BLVD., SUITE 201 VERO BEACH, FLORIDA 32986
 TEL: 772 / 770-9622 FAX: 772 / 770-9496 EMAIL: info@sbsengr.com

EXISTING CONDITION / SOIL BORINGS

MARINE BANK & TRUST

ENGINEER CERTIFICATION
 JOSEPH W. SCHULKE
 FL. REG. NO. 47048
 JORDAN B. BITTLE
 FL. REG. NO. 57398
 WILLIAM P. STODDARD
 FL. REG. NO. 57608
 MAR 30 2007
 SHEET 2
 PROJECT NO. 06-033